
VGN

Feb 18, 2020

Contents:

1	Functions	1
1.1	API Version	1
1.2	Stations	1
1.3	Departures	2
1.4	Rides	2
1.5	Routes	3
2	Data Classes	5
3	Exceptions	7
	Python Module Index	9
	Index	11

1.1 API Version

`vgn.functions.api_version()` → str
Version info from the VGN REST-API.

1.2 Stations

`vgn.functions.stations(station_name: str)` → List[vgn.data_classes.Station]
List of stations for the specified station name.

Parameters `station_name` – Name of a station.

Returns List of station objects for the given stop_name.

Return type list

`vgn.functions.all_stations()` → List[vgn.data_classes.Station]
List of all stations.

Returns List of stations for the VGN transport association.

Return type list

`vgn.functions.nearby_stations(location: vgn.data_classes.Coordinates, radius: int = 1000)` → List[vgn.data_classes.Station]
List stops close to a given location.

Parameters

- **location** – Search for stations close to this location.
- **radius** (*optional*) – Radius for search in meter

Returns List of station objects in radius of the given location.

Return type list

`vgn.functions.station_additional_information(stop_id: int) → List[str]`

List of information text strings for a given stop.

Parameters `stop_id` (*optional*) – The VGN stop identifier number.

Returns List of strings containing additional information for the given station.

Return type list

1.3 Departures

`vgn.functions.departure_schedule(stop_id: int, transport_type: List[vgn.data_classes.TransportType] = [TransportType(), TransportType(), TransportType()], timespan: int = 10, timedelay: int = 5, limit_result: int = 100) → List[vgn.data_classes.Departure]`

Departures for a specific stop.

Parameters

- **stop_id** – The VGN stop identifier number.
- **transport_type** – Information shall only be given for the defined transport means of transportation.
- **limit_result** (*optional*) – Limit amount of returned results. Default limit is 100.
- **timedelay** (*optional*) – Time delay for the request in minutes.
- **timespan** (*optional*) – Time window for the query in minutes.

Returns List of departures for the given station.

Return type list

`vgn.functions.departure_schedule_for_line(stop_id: int, line_name: str, timespan: int = 10, timedelay: int = 5, limit_result: int = 100) → List[vgn.data_classes.Departure]`

List of Departures for a specific stop and line.

Parameters

- **line_name** – Name of the line. For example ‘U2’ for the underground line two.
- **stop_id** – The VGN stop identifier number.
- **limit_result** (*optional*) – Limit amount of returned results. Default limit is 100.
- **timedelay** (*optional*) – Time delay for the request in minutes.
- **timespan** (*optional*) – Time window for the query in minutes.

Returns List of departures for the given station and line.

Return type list

1.4 Rides

`vgn.functions.rides(transport_type: vgn.data_classes.TransportType, time_span: int = 60) → List[vgn.data_classes.Ride]`

All running and starting rides for a given transport type within a given time frame (default 60 minutes)

Parameters

- **transport_type** – Transportation type. For example Bus.
- **time_span** (*optional*) – Time window in minutes (default 60 minutes)

Returns List of rides for the given transport type within the time window.

Return type list

1.5 Routes

`vgn.functions.route(transport_type: vgn.data_classes.TransportType, ride_id: int) → vgn.data_classes.Route`

Route for a given transport type and ride number for the current operating day

Parameters

- **transport_type** – Transportation type. For example Bus.
- **ride_id** – Ride number for the given transportation type

Returns The route for the given ride_number

Return type *Route*

`vgn.functions.route_for_day(transport_type: vgn.data_classes.TransportType, ride_id: int, day: datetime.date) → vgn.data_classes.Route`

Route for a given transport type, ride number and operating day.

Parameters

- **transport_type** – Transportation type. For example Bus.
- **ride_id** – Ride number for the given transportation type.
- **day** – Operating day date for the request.

Returns The route for the given ride_number on the requested day.

Return type *Route*


```
class vgn.data_classes.Coordinates (latitude: float, longitude: float)
```

Coordinates in WGS 84 Format in degrees.

```
class vgn.data_classes.Departure (line_name: str, station_id: str, direction: str, direction_text: str, planned_departure_time: datetime.datetime, actual_departure_time: datetime.datetime, transport_type: vgn.data_classes.TransportType, coordinates: vgn.data_classes.Coordinates, ride_id: int, ride_type_id: int, vehicle_number: str, forecast: bool)
```

Departure data object class.

```
class vgn.data_classes.Ride (ride_id: int, line_name: str, direction: str, operating_day: datetime.date, start_time: datetime.datetime, end_time: datetime.datetime, start_station_id: str, end_station_id: str, vehicle_number: str)
```

Ride data object class.

```
class vgn.data_classes.Route (line_name: str, direction: str, direction_text: str, ride_id: int, operating_day: datetime.date, is_cancelled: bool, additional_ride: bool, vehicle_number: str, transport_type: vgn.data_classes.TransportType, route: List[vgn.data_classes.RoutePoint])
```

Route for a specific ride.

```
class vgn.data_classes.RoutePoint (station_name: str, station_id: int, stop_point: str, planned_arrival_time: datetime.datetime, actual_arrival_time: datetime.datetime, planned_departure_time: datetime.datetime, actual_departure_time: datetime.datetime, direction_text: str, coordinates: vgn.data_classes.Coordinates, transit: bool, no_boarding: bool, no_get_off: bool, additional_stop: bool)
```

Single stop of a route.

```
class vgn.data_classes.Station (name:          str,      station_id:      int,      coordinates:  
                                vgn.data_classes.Coordinates,  
                                transport_types:  
                                List[vgn.data_classes.TransportType])
```

Station data object class.

```
class vgn.data_classes.TransportType  
    Type of transportation (e.g.: bus, tram, subway).
```

CHAPTER 3

Exceptions

Exceptions for VGN requests

exception `vgn.exceptions.VgnGetError`

Custom exception to be thrown if get request to VGN API does not succeed

V

`vgn.data_classes`, [5](#)

`vgn.exceptions`, [7](#)

A

`all_stations()` (in module *vgn.functions*), 1
`api_version()` (in module *vgn.functions*), 1

C

`Coordinates` (class in *vgn.data_classes*), 5

D

`Departure` (class in *vgn.data_classes*), 5
`departure_schedule()` (in module *vgn.functions*),
2
`departure_schedule_for_line()` (in module
vgn.functions), 2

N

`nearby_stations()` (in module *vgn.functions*), 1

R

`Ride` (class in *vgn.data_classes*), 5
`rides()` (in module *vgn.functions*), 2
`Route` (class in *vgn.data_classes*), 5
`route()` (in module *vgn.functions*), 3
`route_for_day()` (in module *vgn.functions*), 3
`RoutePoint` (class in *vgn.data_classes*), 5

S

`Station` (class in *vgn.data_classes*), 5
`station_additional_information()` (in mod-
ule *vgn.functions*), 1
`stations()` (in module *vgn.functions*), 1

T

`TransportType` (class in *vgn.data_classes*), 6

V

`vgn.data_classes` (module), 5
`vgn.exceptions` (module), 7
`VgnGetError`, 7